Printing date 27.10.2014

*

Safety data sheet according to 1907/2006/EC, Article 31

Version: 13

Revision: 27.10.2014

1.1 Product identifier	
Trade name: I D RED AERO NEW	
Article number: EU11110	
Article number: EU11110 1.2 Relevant identified uses of the substance or mixture and uses advised against	
Sector of Use	
SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites	
SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)	
Product category PC35 Washing and cleaning products (including solvent based products)	
Process category PROC7 Industrial spraying	
PROC11 Non industrial spraying	
Application of the substance / the mixture Degreaser	
1.3 Details of the supplier of the safety data sheet	
Manufacturer/Supplier:	
ZEP UK Ltd	
PO Box 12 Tanhouse Lane	
Widnes Cheshire, WA8 0RD	
United Kingdom Phone: +44 0151 422 1000	
FAX: +44 0151 422 1010	
@: info@zep.co.uk	
web: www.zep.co.uk	
ZEP Industries BV	
Vierlinghweg 30	
4612 PN Bergen op Zoom	
The Netherlands	
$Tel: (NL) + 31\ 164\ 250\ 100\ (B) + 32\ 2\ 347\ 0117$	
Fax:(NL) + 31 164 266 710 (B) + 32 2 347 1395 @: sales@zepbenelux.com	
ш. suiesш2epveneuл.com	
ZEP ITALIA SRL	
Via Netunese Km. 25.000	
04011 Aprilia (LT) - Italy	
Tel: +39.06.926691 Fax: +39.06.92747061	
(a): tecnico@zepeurope.com	
Sito: www.zep.it	
Further information obtainable from:	
Customer Service	
NL: Tel: + 31 164 250 100 Fax: + 31 164 266 710 B: Tel: + 32 2 347 0117 Fax: +32 2 347 1395	
IT: Tel: +32 2 347 0117 Fax: +32 2 347 1395 IT: Tel: +39 069 266 91Fax: +39 06.927 470 61	
UK: Tel: +44 151 422 1000 Fax: +44 151 422 1011	
1.4 Emergency telephone number:	
Customer Service	
NL: Tel: + 31 164 250 100 Fax: + 31 164 266 710 B: Tel: + 32 2 347 0117 Fax: +32 2 347 1395	
IT: Tel: +32 2 347 0117 Fax: +32 2 347 1395 IT: Tel: +39 069 266 91Fax: +39 06.927 470 61	
UK: Tel: +44 151 422 1000 Fax: +44 151 422 1011	
SECTION 2: Hazards identification	
2.1 Classification of the substance or mixture	
Classification according to Regulation (EC) No 1272/2008 Flam, Aerosol 1 H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.	
Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects. Shi Lin 2 H215	
Skin Irrit. 2 H315 Causes skin irritation.	
STOT SE 3 H336 May cause drowsiness or dizziness.	
Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.	
Classification according to Directive 67/548/EEC or Directive 1999/45/EC	
Xi; Irritant R38: Irritating to skin.	

Version: 13

Printing date 27.10.2014

Revision: 27.10.2014

Trade name: I D RED AERO NEW

rade name: I	D RED AERO NEW
	(Contd. of page 1)
F+; Extrer	mely flammable
R12:	Extremely flammable.
N: Dangar	rous for the environment
-	-
<i>R51/53:</i>	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
	Vapours may cause drowsiness and dizziness. on concerning particular hazards for human and environment: ct has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the
Warning!	e latest valid version. Pressurized container.
	cotizing effect.
	tion system: fication is according to the latest editions of the EU-lists, and extended by company and literature data.
• 2.2 Label	
·Labelling	according to Regulation (EC) No 1272/2008
• Hazard pi	nnce is classified and labelled according to the CLP regulation.
· nazara pi	ciograms
	$\wedge \wedge$
(1)	
1	
GHS02	GHS07 GHS09
heptane is	etermining components of labelling: omers
· Hazard sta	
H222-H22 H315	9 Extremely flammable aerosol. Pressurised container: May burst if heated. Causes skin irritation.
нзтз Н336	Causes skin irritation. May cause drowsiness or dizziness.
H411	Toxic to aquatic life with long lasting effects.
	nary statements
P210	Keep away from heat/sparks/open flames/hot surfaces No smoking.
P251	Pressurized container: Do not pierce or burn, even after use.
P211	Do not spray on an open flame or other ignition source.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P261	Avoid breathing spray.
	10 IF SWALLOWED: Immediately call a POISON CENTER/ doctor. 12 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.
P410+P41 P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
	l information:
	ray on a naked flame or any incandescent material. Keep away from sources of ignition - No smoking.
· 2.3 Other	hazards The product does not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds.
	PBT and vPvB assessment
· PBT: Not	
• vPvB: Not	
SECTIO	ON 3: Composition/information on ingredients
. 2.2 Char	ical characterization: Mixtures
	n: Active substance with propellant
	s components:
2	s components.

(Contd. on page 3)

Printing date 27.10.2014

Version: 13

Revision: 27.10.2014

Trade name: I D RED AERO NEW

	heptane isomers	(Cc	ntd. of page 2)
	neplane isomers	Xi R05 Xi R38 F R11 N R51/53 R67 Flam. Liq. 2, H225 Asp. Tox. 1, H304 Aquatic Chronic 2, H411 Skin Irrit. 2, H315; STOT SE 3, H336	-
CAS: 64-17-5 EINECS: 200-578-6 Reg.nr.: 01-2119457610-43-xxxx	ethanol	F R11 The Flam. Liq. 2, H225	_ 5-10%
CAS: 124-38-9 EINECS: 204-696-9	carbon dioxide	🔶 Press. Gas, H280	2.5-5%

Ingredients according to Detergents Regulation 648/2004/EC For the wording of the listed risk phrases refer to section 16.

SECTION 4: First aid measures

- 4.1 Description of first aid measures
- *General information: Immediately remove any clothing soiled by the product.*
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact:
- If skin irritation continues, consult a doctor.
- Immediately wash with water and soap and rinse thoroughly.
- · After swallowing: Seek immediate medical advice.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
- For safety reasons unsuitable extinguishing agents: Water
- Water with full jet
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- Protective equipment: No special measures required.
- · Additional information Cool endangered receptacles with water spray.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures
- Wear protective equipment. Keep unprotected persons away.
- 6.2 Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water.

- 6.3 Methods and material for containment and cleaning up:
- Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Keep away from heat and direct sunlight. Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care.

(Contd. on page 4)

Revision: 27.10.2014

(Contd. of page 3)

Safety data sheet according to 1907/2006/EC, Article 31

Version: 13

Printing date 27.10.2014

Trade name: I D RED AERO NEW

· Information about fire - and explosion protection: Do not spray onto a naked flame or any incandescent material. Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50 °C, i.e. electric lights. Do not pierce or burn, even after use.

· 7.2 Conditions for safe storage, including any incompatibilities

- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- Observe official regulations on storing packagings with pressurized containers.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- Do not seal receptacle gas tight.
- Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· Additional information about design of technical facilities: No further data; see item 7.

· 8.1 Control parameters · Ingredients with limit values that require monitoring at the workplace: heptane isomers WEL (Great Britain) Long-term value: 2085 mg/m³, 500 ppm IOELV (European Union) Long-term value: 2085 mg/m³, 500 ppm 64-17-5 ethanol (5-10%) WEL (Great Britain) Long-term value: 1920 mg/m³, 1000 ppm 124-38-9 carbon dioxide (2.5-5%) Short-term value: 27400 mg/m³, 15000 ppm WEL (Great Britain) Long-term value: 9150 mg/m³, 5000 ppm IOELV (European Union) Long-term value: 9000 mg/m³, 5000 ppm · DNELs heptane isomers 149 mg/kg human/day (consumer) Oral DNEL Long term-systemic Dermal DNEL Long term-systemic 149 mg/kg human/day (consumer) 300 mg/kg human/day (worker) Inhalative DNEL Long term-systemic mg/m3 477 mg/m3 (consumer) 2085 mg/m3 (worker) 64-17-5 ethanol DNEL Long term-systemic Oral 87 mg/kg human/day (consumer) Dermal DNEL Long term-systemic 206 mg/kg human/day (consumer) 343 mg/kg human/day (worker) Inhalative DNEL Long term local mg/m3 950 mg/m3 (consumer) 1900 mg/m3 (worker) DNEL Long term-systemic mg/m3 114 mg/m3 (consumer) 950 mg/m3 (worker) · PNECs 64-17-5 ethanol PNEC Freshwater mg/L 0.96 mg/L (-) PNEC Freshwater sediment 3.6 mg/Kg (-) PNEC Intermittent release 2.75 mg/l (-) PNEC Marine water sediment 2.9 mg/Kg (-) 0.79 mg/L (-) PNEC Marinewater mg/L PNEC Sewage treatment Plant mg/L 580 mg/L (-)

(Contd. on page 5)

Version: 13

Printing date 27.10.2014

Trade name: I D RED AERO NEW

(Contd. of page 4) PNEC Soil 0.63 mg/Kg (-) • Additional information: The lists valid during the making were used as basis. · 8.2 Exposure controls • Personal protective equipment: • General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Do not inhale gases / fumes / aerosols. Avoid contact with the skin. Avoid contact with the eyes and skin. · Respiratory protection: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device. Protection of hands: Protective gloves Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. The determined penetration times according to EN 374 part III are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended. · Not suitable are gloves made of the following materials: Strong material gloves · Eye protection:



Tightly sealed goggles

SECTION 9: Physical and chemical properties

Annaguanaa	
Appearance: Form:	Aerosol
Colour:	Colourless
Odour:	Characteristic
Odour threshold:	Not determined.
pH-value:	Not determined.
Change in condition Melting point/Melting range: Boiling point/Boiling range:	Undetermined. 78 °C
Flash point:	< 0 °C
Flammability (solid, gaseous):	Not applicable.
Ignition temperature:	425 °C
Decomposition temperature:	Not determined.
Self-igniting:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapour mixtures are possible.

GB

Printing date 27.10.2014

Version: 13

Revision: 27.10.2014

Trade name: I D RED AERO NEW

	(Contd. o	f pag
Explosion limits:		
Lower:	0.6 Vol %	
Upper:	8.0 Vol %	
Vapour pressure at 20 °C:	48 hPa	
Density at 20 °C:	$0.74 \ g/cm^3$	
Relative density	Not determined.	
Vapour density	Not determined.	
Evaporation rate	Not applicable.	
Solubility in / Miscibility with		
water:	Insoluble.	
Partition coefficient (n-octanol	/water): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Organic solvents:	97.0 %	
EŬ-VOC:	717.8 g/l	
EU-VOC	97.00 %	
Swiss VOC:	97.00 %	
9.2 Other information	No further relevant information available.	

SECTION 10: Stability and reactivity

· 10.1 Reactivity

- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

• Acute toxicity:

1100000 10000			
· LD/LC50	· LD/LC50 values relevant for classification:		
heptane is	heptane isomers		
		3 mg/ltr (Daphnia magna (water flea))	
	LC50 / 96 h	> 13.4 mg/ltr (Oncorhynchus mykiss (Rainbow trout))	
64-17-5 et	64-17-5 ethanol		
Oral	LD50	7060 mg/kg (Rat)	
Inhalative	LC50 / 4 h	20000 mg/ltr (Rat)	
	EC 50 / 48 h	10800 mg/ltr (Daphnia magna (water flea))	
	Primary irritant effect:		
• on the skin	• on the skin: Irritant to skin and mucous membranes.		

• on the eye: No irritating effect.

• Sensitization: No sensitizing effects known.

· Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version: Irritant

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity: No further relevant information available.

(Contd. on page 7)

Printing date 27.10.2014

Version: 13

Revision: 27.10.2014

(Contd. of page 6)


Trade name: I D RED AERO NEW

- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- Ecotoxical effects:
- Remark: Toxic for fish
- Additional ecological information:
- General notes:
- Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground. Also poisonous for fish and plankton in water bodies. Toxic for aquatic organisms
- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- Recommendation Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- · Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information



- GB

Version: 13

Printing date 27.10.2014

Revision: 27.10.2014

Trade name: I D RED AERO NEW

	(Contd. of page
Marine pollutant:	Yes
*	Symbol (fish and tree)
Special marking (ADR):	Symbol (fish and tree)
14.6 Special precautions for user	Warning: Gases.
Danger code (Kemler):	-
EMS Number:	F- D , S - U
14.7 Transport in bulk according to Anne	x II of
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E0
	Not permitted as Excepted Quantity
Transport category	2
Tunnel restriction code	D
IMDG	
Limited quantities (LQ)	1L
Excepted quantities $(\widetilde{E}Q)$	Code: E0
· · · · ·	Not permitted as Excepted Quantity
UN "Model Regulation":	UN1950, AEROSOLS, ENVIRONMENTALLY HAZARDOUS, 2.1

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· National regulations:

• Technical instructions (air):

Class Share in %

NK 75-100

• Waterhazard class: Water hazard class 2 (Self-assessment): hazardous for water.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

- H225 Ĥighly flammable liquid and vapour.
- H280 Contains gas under pressure; may explode if heated.
- H304 May be fatal if swallowed and enters airways.
- H315 Causes skin irritation.
- H336 May cause drowsiness or dizziness.
- H411 Toxic to aquatic life with long lasting effects.
- R11 Highly flammable.
- R38 Irritating to skin.
- R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
- R65 Harmful: may cause lung damage if swallowed.
- R67 Vapours may cause drowsiness and dizziness.

• Department issuing MSDS:

Customer Service

NL: Tel: + 31 164 250 100 Fax: + 31 164 266 710 B: Tel: +32 2 347 0117 Fax: +32 2 347 1395 IT: Tel: +39 069 266 91Fax: +39 06.927 470 61 UK: Tel: +44 151 422 1000 Fax: +44 151 422 1011

Contact:

Customer Service NL: Tel: + 31 164 250 100 Fax: + 31 164 266 710 B: Tel: +32 2 347 0117 Fax: +32 2 347 1395 IT: Tel: +39 069 266 91Fax: +39 06.927 470 61

Version: 13

Printing date 27.10.2014

Trade name: I D RED AERO NEW

	(Contd. of page 8)
UK: Tel: +44 151 422 1000 Fax: +44 151 422 1011	
· Abbreviations and acronyms:	
RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the Internationa	al Transport of
Dangerous Goods by Rail)	
ICAO: International Civil Aviation Organization	
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage og	f Dangerous Goods
by Road)	
IMDG: International Maritime Code for Dangerous Goods	
IATA: International Air Transport Association	
GHS: Globally Harmonized System of Classification and Labelling of Chemicals	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society) VOCV: Lenkungsabgabe auf flüchtigen organischen Verbindungen, Schweiz (Swiss Ordinance on volatile organic compounds)	
VOCV. Lenkingsabgabe auf fluchtigen organischen Veronnaungen, schweiz (swiss Oranance on volatile organic compounds) VOC: Volatile Organic Compounds (USA, EU)	
DNEL: Derived No-Effect Level (REACH)	
DNEC. Predicted No-Effect Concentration (REACH)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
Flam. Aerosol 1: Flammable aerosols, Hazard Category 1	
Press. Gas: Gases under pressure: Dissolved gas	
Flam. Liq. 2: Flammable liquids, Hazard Category 2	
Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2	
STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3	
Asp. Tox. 1: Aspiration hazard, Hazard Category 1	
Aquatic Chronic 2: Hazardous to the aquatic environment - Chronic Hazard, Category 2	
* * Data compared to the previous version altered.	
	GB

Revision: 27.10.2014